Harvesting emails from knowledge base

🖹 136 🔘 Gurjeet Kaur 🛗 August 23, 2017 🖿 Tools

👁 5957 🛛 🗩 🕻

PHPKB Knowledge Base Software provides a module for extracting email addresses from either all sections or selected sections of your knowledge base. Expand "**Tools**" section in left navigation bar and click on "**Email Harvester**" to open email harvester page as shown in the figure below:

SECTIONS Tick the section to harvest its emails.	Check All Uncheck All
KB Members	Z
i Member Status	 Both Active Inactive
Comments	Z
i Comment Status	 Both Pending Approved

KB Members: You can extract the emails of front end KB members by marking the checkbox available corresponding to KB Members section. When it is marked, it further allows you to filter the members of their status. If **Both** is checked in **Member Status**, email addresses of both active and inactive members will be extracted. If **Active** is checked, email addresses of only active members will be extracted. If **Inactive** is checked, email addresses of only inactive members will be extracted.

Comments: You can enable the corresponding box in this section to extract the email addresses of persons who have posted comments on knowledge base articles. When the check box is marked, **Comment Status** filter is displayed which has three choices - Both, Pending and Approved. If **Both** is selected, email addresses of persons whose comments are either in pending or approved status will be extracted. If **Pending** is checked, the system will extract the email addresses of persons whose comments are in pending status. If **Approved** is checked, it will extract the email addresses of persons whose comments have been approved.

Tickets	Image: A start and a start
···· Ticket Status	 Both Open Close
KB Subscibers	~
Subscriber Status	Both

Ticket: You can enable this section to extract the email addresses of persons who have submitted the questions in the form of tickets. When you mark this section for extraction, you can further filter the email addresses based on **Ticket Status**. If **Both** is checked, email addresses of persons whose tickets are either in open or closed state will be extracted. If **Open** is checked, it will extract the email addresses of persons whose tickets are in open state. If **Close** is checked, it will extract the email addresses of persons whose tickets are in open state. If **Close** is checked, it will extract the email addresses of persons whose tickets are in open state.

 KB Subscribers: You can enable this section to extract the email addresses of persons who are subscribed to the knowledge base. You can further filter the subscribers on the basis of their subscription status. If Both is checked in 1/3

 Powered by PHPKB (Knowledge Base Software)

Subscriber Status, email addresses of both active and inactive subscribers will be extracted. If **Active** is checked, email addresses of only **Active** subscribers will be extracted. If **Inactive** is checked, email addresses of only inactive subscribers will be extracted.

Category Subscibers	
En Subscriber Status	BothActive
	Inactive
Article Subscibers	
···· Subscriber Status	BothActiveInactive
Filter Duplicates Extract Cancel	

Category Subscribers: You can check this section to extract the email addresses of persons who are subscribed to knowledge base categories. You can further filter the category subscribers on the basis of their subscription status. If **Both** is checked in **Subscriber Status**, email addresses of both active and inactive category subscribers will be extracted. If **Active** is checked, email addresses of only **Active** category subscribers will be extracted. If **Inactive** is checked, email addresses of only inactive category subscribers will be extracted.

Article Subscriber: You can check this section to extract the email addresses of persons who are subscribed to knowledge base articles. You can further filter the article subscribers on the basis of their subscription status. If **Both** is checked in **Subscriber Status**, email addresses of both active and inactive article subscribers will be extracted. If **Active** is checked, email addresses of only **Active** article subscribers will be extracted. If **Inactive** is checked, email addresses of only inactive article subscribers will be extracted.

Check All button would allow you to select all the sections in one go and Uncheck all button allows you to deselect the selected sections.

Filter Duplicates: If the option is selected, it will remove the duplicate email addresses from the extracted list.

Click on **Extract** button to generate the list of email addresses or you can click on **Cancel** button to abandon the process of email harvesting.

Results	
ryan.harter@gmail.com	
wichai@hotmail.com	
p.singh@knowledgebase-script.com	
dcohen33@gmail.com	
n.jovanovic@anios.com	
cyoungblood@second.org	
gnganapathi@gmail.com	
frank.lojzer@tango.com.hr	
d@loudestnoi.se	
palwinder.reen@gmail.com	
rlaria@gmail.com	
jb.kibs@gmail.com	
m-m-alwagdani@hotmail.com	
sharonflippin@renfro.com	
jory@epictech.ca	
Namdieuhp.pro@facebook.com	
chris.schneider@unh.edu	
lowiejhoncutara@yahoo.com	
ian.mortimer@theaccessgroup.com 🗸	
ccummings@theavcgroup.com	
Export as CSV	

The results of harvesting email address will be displayed on the right side of the page as shown in the figure above. In case you want to export the result as CSV file, click on "**Export as CSV**" button.

Custom Fields

Applicable To: Standard Edition, Standard (Multi-Language) Edition, Enterprise Edition (MySQL), Enterprise Multi-Language Edition (MySQL), Enterprise Edition (SQL Server), Enterprise Multi-Language Edition (SQL Server)

Online URL: https://www.phpkb.com/kb/article/harvesting-emails-from-knowledge-base-136.html